

PANEL LVMDP



TRAFO





CUBICLE

Hexapower Substation Pack is a modern Compact Substation that **replaces conventional concrete substations**, integrating **MV Switchgear, Transformer, and LV Switchgear** into one efficient solution.

Constructed from **2.0 mm sheet metal** and designed with **compact dimensions** according to power capacity, PowerPack **saves space, is easy to install, and ideal for industrial applications**.

HEXAPOWER
SUBSTATION PACK

Fast Instalation

With the pre-fabrication method, installation time is significantly shorter.
Dengan metode pre-fabrication memungkinkan waktu pemasangan yang signifikan lebih singkat.

Space Efficiency


The compact design reduces land requirements by up to 50% compared to concrete substations.
Desain kompak mengurangi kebutuhan lahan hingga 50% dibandingkan gardu beton.

High Mobility

Flexible for future relocation or expansion, without permanent construction.
Fleksibel untuk relokasi atau ekspansi di masa depan, tanpa konstruksi permanen.

TECHNICAL SPESIFICATION

Fitur	Type 1 (250-500 kVA)	Type 2 (630-1000 kVA)	Type 3 (1250-2000 kVA)	Type 4 (2500-3150 kVA)
Material Enclosure	SPHC 2.0 mm	SPHC 2.0 mm	SPHC 2.0 mm	SPHC 2.0 mm
Material Base Frame	UNP 200	IWF 250	IWF 250	IWF 250
Material Floor	Cheker Plate Aluminium 2.0 mm	Cheker Plate Aluminium 2.0 mm	Cheker Plate Aluminium 2.0 mm	Cheker Plate Aluminium 2.0 mm
Enclosure Type	Metal Enclosed	Metal Enclosed	Metal Enclosed	Metal Enclosed
Dimensi (H x W x D)	2800 x 4000 x 2600 mm	2800 x 4000 x 2600 mm	2800 x 5000 x 2600 mm	2850 x 5050 x 2800 mm
Painting System	C2 min. 80 microns	C2 min. 80 microns	C2 min. 80 microns	C2 min. 80 microns
Ingress Protection	IP 54 (Outdoor)	IP 54 (Outdoor)	IP 54 (Outdoor)	IP 54 (Outdoor)



PT. HEXA KREASI UTAMA

Office: Ruko Simprug Poris Blok A4 No. 14, Poris Jaya, Batu Ceper, Kota Tangerang, Banten
Workshop: Jl. Veteran No. 50 Cukanggalih - Curug, Tangerang
Tlp: 0812 8308 4612 - **Email**: hku.utama45@gmail.com - **Web**: www.hexaelektrikal.com



PANEL LVMDP



TRAFO





CUBICLE

Hexapower Substation Pack is a modern Compact Substation that **replaces conventional concrete substations**, integrating **MV Switchgear, Transformer, and LV Switchgear** into one efficient solution.

Constructed from **2.0 mm sheet metal** and designed with **compact dimensions** according to power capacity, PowerPack **saves space, is easy to install, and ideal for industrial applications**.

HEXAPOWER
SUBSTATION PACK

Fast Instalation

With the pre-fabrication method, installation time is significantly shorter.
Dengan metode pre-fabrication memungkinkan waktu pemasangan yang signifikan lebih singkat.

Space Efficiency


The compact design reduces land requirements by up to 50% compared to concrete substations.
Desain kompak mengurangi kebutuhan lahan hingga 50% dibandingkan gardu beton.


High Mobility

Flexible for future relocation or expansion, without permanent construction.
Fleksibel untuk relokasi atau ekspansi di masa depan, tanpa konstruksi permanen.

TECHNICAL SPESIFICATION

Fitur	Type 1 (250-500 kVA)	Type 2 (630-1000 kVA)	Type 3 (1250-2000 kVA)	Type 4 (2500-3150 kVA)
Material Enclosure	SPHC 2.0 mm	SPHC 2.0 mm	SPHC 2.0 mm	SPHC 2.0 mm
Material Base Frame	UNP 200	IWF 250	IWF 250	IWF 250
Material Floor	Cheker Plate Aluminium 2.0 mm	Cheker Plate Aluminium 2.0 mm	Cheker Plate Aluminium 2.0 mm	Cheker Plate Aluminium 2.0 mm
Enclosure Type	Metal Enclosed	Metal Enclosed	Metal Enclosed	Metal Enclosed
Dimensi (H x W x D)	2800 x 4000 x 2600 mm	2800 x 4000 x 2600 mm	2800 x 5000 x 2600 mm	2850 x 5050 x 2800 mm
Painting System	C2 min. 80 microns	C2 min. 80 microns	C2 min. 80 microns	C2 min. 80 microns
Ingress Protection	IP 54 (Outdoor)	IP 54 (Outdoor)	IP 54 (Outdoor)	IP 54 (Outdoor)





PT. HEXA KREASI UTAMA

Office: Ruko Simprug Poris Blok A4 No. 14, Poris Jaya, Batu Ceper, Kota Tangerang, Banten

Workshop: Jl. Veteran No. 50 Cukanggalih - Curug, Tangerang

Tlp: 0812 8308 4612 - **Email**: hku.utama45@gmail.com - **Web**: www.hexaelektrikal.com